




Inwards Opening Window Head - Direct Fix w/ 105 mm Sill Extension

System:Aluplast Ideal 4000Cladding:XVersion:1.00, JAN19Scale:1 : 2


DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.



NK WINDOWS uPVC Systems Inwards Opening Window Jamb - Direct Fix w/ 105 mm Sill Extension

System:Aluplast Ideal 4000Cladding:XVersion:1.00, JAN19Scale:1 : 2

DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.





Inwards Opening Window Sill - Direct Fix w/ 105 mm Sill Extension

System:Aluplast Ideal 4000Cladding:XVersion:1.00, JAN19Scale:1:2

DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.