


**NKWINDOWS** uPVC Systems

Triple-Glazed Inwards Opening Window Head

Cladding: X Version: 1.00, FEB20 Scale: 1:2

DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.




DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.

**NKWINDOWS** 

uPVC Systems

System: Aluplast Ideal 4000 Cladding: X Version: 1.00, FEB20 Scale: 1 : 2





## Triple-Glazed Inwards Opening Window Sill

System:Aluplast Ideal 4000Cladding:XVersion:1.00, FEB20Scale:1:2

DISCLAIMER: All details are for indicative purposes only. Installation methods should comply with manufacturers recommendations and relevant NZ Building Code regulations & Standards. CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by NK Window Solutions Ltd unless expressly agreed by the author.